

Advance Illness and Frailty Exclusions

Exclusion Information

The National Committee for Quality Assurance ("NCCA") added exclusions for members with advanced illness and frailty or who live in long-term nursing home settings for specified measures.

The information presented reflects the HEDIS specifications but is not meant to preclude clinical judgment. Treatment decisions should always be based on the clinical judgment of the physician or other healthcare providers.

Who will now be excluded from these measures?

Patients will be excluded when there is evidence of both criteria:

Frailty: durable medical equipment (DME) or services such as home health and skilled nursing, which are indicators of limited mobility or physical functionality.

- At least two indications of frailty with different dates of service during the measurement year.
- Advanced illness: severe chronic conditions such as emphysema, cirrhosis, leukemia, heart failure, dementia and end-stage renal disease
- Advanced illness on at least two different dates of service or dispensed dementia medication

Laboratory claims are not allowed (claims with POS code 81)

Which measures are impacted?

Listed below are the HEDIS measures to which these exclusions have been added. The majority of the impacted measures are also part of the Medicare Star ratings program (*) governed by the Centers for Medicare & Medicaid Services (CMS).

Patients 66-80 with frailty AND advanced illness, as well as those 81 years old and older with frailty ONLY:

- Controlling blood pressure (CBP)*
- Kidney Health Evaluation for patients with Diabetes (KED)*
- Osteoporosis management in women who had a fracture (OMW)*
 - **The age range for OMW eligibility is 67-85.**

Patients 66 years old and older with frailty AND advanced illness:

- Breast cancer screening (BCS-E)*
- Colon cancer screening (COL-E)*
- Statin therapy for patients with cardiovascular disease (SPC)*
- Eye Exam for Patients with Diabetes (EED)*
- Glycemic Status Assessment for Patients With Diabetes (GSD)*



Contact us with questions at Stars_Support@uhcsouthflorida.com
or speak to your Health Plan Representative.

How will patients be identified for exclusion?

Codes from NCQA's advanced illness value set and frailty value set will be used to identify patients for exclusion. Patients can only be excluded via appropriate and applicable coding. Medical records and other proof of service documents cannot be used for these exclusions.

- Advanced Illness Exclusions are based on any of the following claim types with advanced illness code(s) during the current measurement year or prior year:
 - Two outpatient, observation or non-acute inpatient visits on different dates of services
 - One acute inpatient stay
 - One dispensed dementia medication
- Frailty exclusions are based on two (2) indications of a frailty code on different dates of service during the current measurement year

Advanced Illness & Frailty Value Sets

The following table outlines the Current Procedural Terminology (CPT®), Healthcare Common Procedure Coding System (HCPCS) and ICD-10 diagnosis procedure codes for each of these value sets.

| CODE | CODE | DEFINITION |
|---------------------------|--------|---|
| Creutzfeldt-Jakob | | |
| A81.00 | ICD-10 | Creutzfeldt-Jakob disease, unspecified |
| A81.01 | ICD-10 | Variant Creutzfeldt-Jakob disease |
| A81.09 | ICD-10 | Other Creutzfeldt-Jakob disease |
| Malignant neoplasm | | |
| C25.0 | ICD-10 | Malignant neoplasm of head of pancreas |
| C25.1 | ICD-10 | Malignant neoplasm of body of pancreas |
| C25.2 | ICD-10 | Malignant neoplasm of tail of pancreas |
| C25.3 | ICD-10 | Malignant neoplasm of pancreatic duct |
| C25.4 | ICD-10 | Malignant neoplasm of endocrine pancreas |
| C25.7 | ICD-10 | Malignant neoplasm of other parts of pancreas |
| C25.8 | ICD-10 | Malignant neoplasm of overlapping sites of pancreas |
| C25.9 | ICD-10 | Malignant neoplasm of pancreas, unspecified |
| C71.0 | ICD-10 | Malignant neoplasm of cerebrum, except lobes and ventricles |
| C71.1 | ICD-10 | Malignant neoplasm of frontal lobe |
| C71.2 | ICD-10 | Malignant neoplasm of temporal lobe |
| C71.3 | ICD-10 | Malignant neoplasm of parietal lobe |
| C71.4 | ICD-10 | Malignant neoplasm of occipital lobe |
| C71.5 | ICD-10 | Malignant neoplasm of cerebral ventricle |
| C71.6 | ICD-10 | Malignant neoplasm of cerebellum |
| C71.7 | ICD-10 | Malignant neoplasm of brain stem |
| C71.8 | ICD-10 | Malignant neoplasm of overlapping sites of brain |
| C71.9 | ICD-10 | Malignant neoplasm of brain, unspecified |
| C77.0 | ICD-10 | Secondary and unspecified malignant neoplasm of lymph nodes of head, face |
| C77.1 | ICD-10 | Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes |
| C77.2 | ICD-10 | Secondary and unspecified malignant neoplasm of intra-abdominal lymph |
| C77.3 | ICD-10 | Secondary and unspecified malignant neoplasm of axilla and upper limb lymph nodes |
| C77.4 | ICD-10 | Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes |
| C77.5 | ICD-10 | Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes |
| C77.8 | ICD-10 | Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions |
| C77.9 | ICD-10 | Secondary and unspecified malignant neoplasm of lymph node, unspecified |
| C78.00 | ICD-10 | Secondary malignant neoplasm of unspecified lung |
| C78.01 | ICD-10 | Secondary malignant neoplasm of right lung |
| C78.02 | ICD-10 | Secondary malignant neoplasm of left lung |
| C78.1 | ICD-10 | Secondary malignant neoplasm of mediastinum |
| C78.2 | ICD-10 | Secondary malignant neoplasm of pleura |

| | | |
|----------------------------|--------|---|
| C78.30 | ICD-10 | Secondary malignant neoplasm of unspecified respiratory organ |
| C78.39 | ICD-10 | Secondary malignant neoplasm of other respiratory organs |
| C78.4 | ICD-10 | Secondary malignant neoplasm of small intestine |
| C78.5 | ICD-10 | Secondary malignant neoplasm of large intestine and rectum |
| C78.6 | ICD-10 | Secondary malignant neoplasm of retroperitoneum and peritoneum |
| C78.7 | ICD-10 | Secondary malignant neoplasm of liver and intrahepatic bile duct |
| C78.80 | ICD-10 | Secondary malignant neoplasm of unspecified digestive organs |
| C78.89 | ICD-10 | Secondary malignant neoplasm of other digestive organs |
| C79.00 | ICD-10 | Secondary malignant neoplasm of unspecified kidney and renal pelvis |
| C79.01 | ICD-10 | Secondary malignant neoplasm of right kidney and renal pelvis |
| C79.02 | ICD-10 | Secondary malignant neoplasm of left kidney and renal pelvis |
| C79.10 | ICD-10 | Secondary malignant neoplasm of unspecified urinary organs |
| C79.11 | ICD-10 | Secondary malignant neoplasm of bladder |
| C79.19 | ICD-10 | Secondary malignant neoplasm of other urinary organs |
| C79.2 | ICD-10 | Secondary malignant neoplasm of skin |
| C79.31 | ICD-10 | Secondary malignant neoplasm of brain |
| C79.32 | ICD-10 | Secondary malignant neoplasm of cerebral meninges |
| C79.40 | ICD-10 | Secondary malignant neoplasm of unspecified part of nervous system |
| C79.51 | ICD-10 | Secondary malignant neoplasm of bone |
| C79.63 | ICD-10 | Secondary malignant neoplasm of bilateral ovaries |
| C79.49 | ICD-10 | Secondary malignant neoplasm of other parts of nervous system |
| C79.51 | ICD-10 | Secondary malignant neoplasm of bone |
| C79.52 | ICD-10 | Secondary malignant neoplasm of bone marrow |
| C79.60 | ICD-10 | Secondary malignant neoplasm of unspecified ovary |
| C79.61 | ICD-10 | Secondary malignant neoplasm of right ovary |
| C79.62 | ICD-10 | Secondary malignant neoplasm of left ovary |
| C79.63 | ICD-10 | Secondary malignant neoplasm of bilateral ovaries |
| C79.70 | ICD-10 | Secondary malignant neoplasm of unspecified adrenal gland |
| C79.71 | ICD-10 | Secondary malignant neoplasm of right adrenal gland |
| C79.72 | ICD-10 | Secondary malignant neoplasm of left adrenal gland |
| C79.81 | ICD-10 | Secondary malignant neoplasm of breast |
| C79.82 | ICD-10 | Secondary malignant neoplasm of genital organs |
| C79.89 | ICD-10 | Secondary malignant neoplasm of other specified sites |
| C79.9 | ICD-10 | Secondary malignant neoplasm of unspecified site |
| Leukemia [Advanced] | | |
| C91.00 | ICD-10 | Acute lymphoblastic leukemia not having achieved remission |
| C91.02 | ICD-10 | Acute lymphoblastic leukemia, in relapse |
| C92.00 | ICD-10 | Acute myeloblastic leukemia, not having achieved remission |
| C92.02 | ICD-10 | Acute myeloblastic leukemia, in relapse |
| C93.00 | ICD-10 | Acute monoblastic/monocytic leukemia, not having achieved remission |
| C93.02 | ICD-10 | Acute monoblastic/monocytic leukemia, in relapse |
| C93.90 | ICD-10 | Monocytic leukemia, unspecified, not having achieved remission |
| C93.92 | ICD-10 | Monocytic leukemia, unspecified in relapse |
| C93.Z0 | ICD-10 | Other monocytic leukemia, not having achieved remission |
| C93.Z2 | ICD-10 | Other monocytic leukemia, in relapse |
| C94.30 | ICD-10 | Mast cell leukemia not having achieved remission |
| C94.32 | ICD-10 | Mast cell leukemia, in relapse |
| Dementia and | | |
| F01.50 | ICD-10 | Vascular dementia without behavioral disturbance |
| F01.51 | ICD-10 | Vascular dementia with behavioral disturbance |
| F01.511 | ICD-10 | Vascular dementia, unspecified severity, with agitation |
| F01.52 | ICD-10 | Vascular dementia, unspecified severity, with psychotic disturbance |

| | | |
|---------|--------|---|
| F01.53 | ICD-10 | Vascular dementia, unspecified severity, with mood disturbance |
| F01.54 | ICD-10 | Vascular dementia, unspecified severity, with anxiety |
| F01.A0 | ICD-10 | Vascular dementia, mild, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F01.A11 | ICD-10 | Vascular dementia, mild, with agitation |
| F01.A18 | ICD-10 | Vascular dementia, mild, with other behavioral disturbance |
| F01.A2 | ICD-10 | Vascular dementia, mild, with psychotic disturbance |
| F01.A3 | ICD-10 | Vascular dementia, mild, with mood disturbance |
| F01.A4 | ICD-10 | Vascular dementia, mild, with anxiety |
| F01.B0 | ICD-10 | Vascular dementia, moderate, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F01.B11 | ICD-10 | Vascular dementia, moderate, with agitation |
| F01.B18 | ICD-10 | Vascular dementia, moderate, with other behavioral disturbance |
| F01.B2 | ICD-10 | Vascular dementia, moderate, with psychotic disturbance |
| F01.B3 | ICD-10 | Vascular dementia, moderate, with mood disturbance |
| F01.B4 | ICD-10 | Vascular dementia, moderate, with anxiety |
| F01.C0 | ICD-10 | Vascular dementia, severe, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F01.C11 | ICD-10 | Vascular dementia, severe, with agitation |
| F01.C18 | ICD-10 | Vascular dementia, severe, with other behavioral disturbance |
| F01.C2 | ICD-10 | Vascular dementia, severe, with psychotic disturbance |
| F01.C3 | ICD-10 | Vascular dementia, severe, with mood disturbance |
| F01.C4 | ICD-10 | Vascular dementia, severe, with anxiety |
| F02.80 | ICD-10 | Dementia in other diseases classified elsewhere without behavioral |
| F02.81 | ICD-10 | Dementia in other diseases classified elsewhere with behavioral disturbance |
| F02.811 | ICD-10 | Dementia in other diseases classified elsewhere, unspecified severity, with |
| F02.818 | ICD-10 | Dementia in other diseases classified elsewhere, unspecified severity, with |
| F02.82 | ICD-10 | Dementia in other diseases classified elsewhere, unspecified severity, with |
| F02.83 | ICD-10 | Dementia in other diseases classified elsewhere, unspecified severity, with |
| F02.84 | ICD-10 | Dementia in other diseases classified elsewhere, unspecified severity, with |
| F02.A0 | ICD-10 | Dementia in other diseases classified elsewhere, mild, without behavioral |
| F02.A11 | ICD-10 | Dementia in other diseases classified elsewhere, mild, with agitation |
| F02.A18 | ICD-10 | Dementia in other diseases classified elsewhere, mild, with other behavioral |
| F02.A2 | ICD-10 | Dementia in other diseases classified elsewhere, mild, with psychotic |
| F02.A3 | ICD-10 | Dementia in other diseases classified elsewhere, mild, with mood disturbance |
| F02.A4 | ICD-10 | Dementia in other diseases classified elsewhere, mild, with anxiety |
| F02.B0 | ICD-10 | Dementia in other diseases classified elsewhere, moderate, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F02.B11 | ICD-10 | Dementia in other diseases classified elsewhere, moderate, with agitation |
| F02.B18 | ICD-10 | Dementia in other diseases classified elsewhere, moderate, with other |
| F02.B2 | ICD-10 | Dementia in other diseases classified elsewhere, moderate, with psychotic |
| F02.B3 | ICD-10 | Dementia in other diseases classified elsewhere, moderate, with mood |
| F02.B4 | ICD-10 | Dementia in other diseases classified elsewhere, moderate, with anxiety |
| F02.C0 | ICD-10 | Dementia in other diseases classified elsewhere, severe, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F02.C11 | ICD-10 | Dementia in other diseases classified elsewhere, severe, with agitation |
| F02.C18 | ICD-10 | Dementia in other diseases classified elsewhere, severe, with other behavioral |
| F02.C2 | ICD-10 | Dementia in other diseases classified elsewhere, severe, with psychotic |
| F02.C3 | ICD-10 | Dementia in other diseases classified elsewhere, severe, with mood |
| F02.C4 | ICD-10 | Dementia in other diseases classified elsewhere, severe, with anxiety |
| F03.90 | ICD-10 | Unspecified dementia without behavioral disturbance |
| F03.91 | ICD-10 | Unspecified dementia with behavioral disturbance |
| F03.911 | ICD-10 | Unspecified dementia, unspecified severity, with agitation |

| | | |
|-------------------------------|--------|--|
| F03.918 | ICD-10 | Unspecified dementia, unspecified severity, with other behavioral disturbance |
| F03.92 | ICD-10 | Unspecified dementia, unspecified severity, with psychotic disturbance |
| F03.93 | ICD-10 | Unspecified dementia, unspecified severity, with mood disturbance |
| F03.94 | ICD-10 | Unspecified dementia, unspecified severity, with anxiety |
| F03.A0 | ICD-10 | Unspecified dementia, mild, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F03.A11 | ICD-10 | Unspecified dementia, mild, with agitation |
| F03.A18 | ICD-10 | Unspecified dementia, mild, with other behavioral disturbance |
| F03.A2 | ICD-10 | Unspecified dementia, mild, with psychotic disturbance |
| F03.A3 | ICD-10 | Unspecified dementia, mild, with mood disturbance |
| F03.A4 | ICD-10 | Unspecified dementia, mild, with anxiety |
| F03.B0 | ICD-10 | Unspecified dementia, moderate, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F03.B11 | ICD-10 | Unspecified dementia, moderate, with agitation |
| F03.B18 | ICD-10 | Unspecified dementia, moderate, with other behavioral disturbance |
| F03.B2 | ICD-10 | Unspecified dementia, moderate, with psychotic disturbance |
| F03.B3 | ICD-10 | Unspecified dementia, moderate, with mood disturbance |
| F03.B4 | ICD-10 | Unspecified dementia, moderate, with anxiety |
| F03.C0 | ICD-10 | Unspecified dementia, severe, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F03.C11 | ICD-10 | Unspecified dementia, severe, with agitation |
| F03.C18 | ICD-10 | Unspecified dementia, severe, with other behavioral disturbance |
| F03.C2 | ICD-10 | Unspecified dementia, severe, with psychotic disturbance |
| F03.C3 | ICD-10 | Unspecified dementia, severe, with mood disturbance |
| F03.C4 | ICD-10 | Unspecified dementia, severe, with anxiety |
| F04 | ICD-10 | Amnesic disorder due to known physiological condition |
| F10.27 | ICD-10 | Alcohol dependence with alcohol-induced persisting dementia |
| F10.96 | ICD-10 | Alcohol use, unspecified with alcohol-induced persisting amnesic disorder |
| F10.97 | ICD-10 | Alcohol use, unspecified with alcohol-induced persisting dementia |
| G10 | ICD-10 | Huntington's disease |
| G12.21 | ICD-10 | Amyotrophic lateral sclerosis |
| G20 | ICD-10 | Parkinson's disease |
| G30.0 | ICD-10 | Alzheimer's disease with early onset |
| G30.1 | ICD-10 | Alzheimer's disease with late onset |
| G30.8 | ICD-10 | Other Alzheimer's disease |
| G30.9 | ICD-10 | Alzheimer's disease, unspecified |
| G31.01 | ICD-10 | Pick's disease |
| G31.09 | ICD-10 | Other frontotemporal dementia |
| G31.83 | ICD-10 | Dementia with Lewy bodies |
| G35 | ICD-10 | Multiple sclerosis |
| Heart failure, chronic | | |
| I09.81 | ICD-10 | Rheumatic heart failure |
| I11.0 | ICD-10 | Hypertensive heart disease with heart failure |
| I12.0 | ICD-10 | Hypertensive chronic kidney disease with stage 5 chronic kidney disease or |
| I13.0 | ICD-10 | Hypertensive heart and chronic kidney disease with heart failure and stage 1 |
| I13.11 | ICD-10 | Hypertensive heart and chronic kidney disease without heart failure, with |
| I13.2 | ICD-10 | Hypertensive heart and chronic kidney disease with heart failure and with |
| I50.1 | ICD-10 | Left ventricular failure, unspecified |
| I50.20 | ICD-10 | Unspecified systolic (congestive) heart failure |
| I50.21 | ICD-10 | Acute systolic (congestive) heart failure |
| I50.22 | ICD-10 | Chronic systolic (congestive) heart failure |
| I50.23 | ICD-10 | Acute on chronic systolic (congestive) heart failure |
| I50.30 | ICD-10 | Unspecified diastolic (congestive) heart failure |

| | | |
|--|--------|--|
| I50.31 | ICD-10 | Acute diastolic (congestive) heart failure |
| I50.32 | ICD-10 | Chronic diastolic (congestive) heart failure |
| I50.33 | ICD-10 | Acute on chronic diastolic (congestive) heart failure |
| I50.40 | ICD-10 | Unspecified combined systolic (congestive) and diastolic (congestive) heart |
| I50.41 | ICD-10 | Acute combined systolic (congestive) and diastolic (congestive) heart failure |
| I50.42 | ICD-10 | Chronic combined systolic (congestive) and diastolic (congestive) heart failure |
| I50.43 | ICD-10 | Acute on chronic combined systolic (congestive) and diastolic (congestive) |
| I50.810 | ICD-10 | Right heart failure, unspecified |
| I50.811 | ICD-10 | Acute right heart failure |
| I50.812 | ICD-10 | Chronic right heart failure |
| I50.813 | ICD-10 | Acute on chronic right heart failure |
| I50.814 | ICD-10 | Right heart failure due to left heart failure |
| I50.82 | ICD-10 | Biventricular heart failure |
| I50.83 | ICD-10 | High-output heart failure |
| I50.84 | ICD-10 | End-stage heart failure |
| I50.89 | ICD-10 | Other heart failure |
| I50.9 | ICD-10 | Heart failure, unspecified |
| N18.5 | ICD-10 | Chronic kidney disease, stage 5 |
| N18.6 | ICD-10 | End-stage renal disease |
| Emphysema and chronic obstructive pulmonary disease (COPD) [Advanced Illness] | | |
| J43.0 | ICD-10 | Unilateral pulmonary emphysema (MacLeod's syndrome) |
| J43.1 | ICD-10 | Panlobular emphysema |
| J43.2 | ICD-10 | Centrilobular emphysema |
| J43.8 | ICD-10 | Other emphysema |
| J43.9 | ICD-10 | Emphysema, unspecified |
| J68.4 | ICD-10 | Chronic respiratory conditions due to chemicals, gases, fumes and vapors |
| J84.10 | ICD-10 | Pulmonary fibrosis, unspecified |
| J84.112 | ICD-10 | Idiopathic pulmonary fibrosis |
| J84.170 | ICD-10 | Interstitial lung disease with progressive fibrotic phenotype in diseases |
| J84.178 | ICD-10 | Other interstitial pulmonary diseases with fibrosis in diseases classified |
| J96.10 | ICD-10 | Chronic respiratory failure, unspecified whether with hypoxia or hypercapnia |
| J96.11 | ICD-10 | Chronic respiratory failure with hypoxia |
| J96.12 | ICD-10 | Chronic respiratory failure with hypercapnia |
| J96.20 | ICD-10 | Acute and chronic respiratory failure, unspecified whether with hypoxia or hypercapnia |
| J96.21 | ICD-10 | Acute and chronic respiratory failure with hypoxia |
| J96.22 | ICD-10 | Acute and chronic respiratory failure with hypercapnia |
| J96.90 | ICD-10 | Respiratory failure, unspecified, unspecified whether with hypoxia or hypercapnia |
| J96.91 | ICD-10 | Respiratory failure, unspecified with hypoxia |
| J96.92 | ICD-10 | Respiratory failure, unspecified with hypercapnia |
| J98.2 | ICD-10 | Interstitial emphysema |
| J98.3 | ICD-10 | Compensatory emphysema |
| Hepatitis and | | |
| K70.10 | ICD-10 | Alcoholic hepatitis without ascites |
| K70.11 | ICD-10 | Alcoholic hepatitis with ascites |
| K70.2 | ICD-10 | Alcoholic fibrosis and sclerosis of liver |
| K70.30 | ICD-10 | Alcoholic cirrhosis of liver without ascites |
| K70.31 | ICD-10 | Alcoholic cirrhosis of liver with ascites |
| K70.40 | ICD-10 | Alcoholic hepatic failure without coma |
| K70.41 | ICD-10 | Alcoholic hepatic failure with coma |
| K70.9 | ICD-10 | Alcoholic liver disease, unspecified |

| | | |
|------------------------------|--------|--|
| K74.00 | ICD-10 | Hepatic fibrosis, unspecified |
| K74.01 | ICD-10 | Hepatic fibrosis, early fibrosis |
| K74.02 | ICD-10 | Hepatic fibrosis, advanced fibrosis |
| K74.1 | ICD-10 | Hepatic sclerosis |
| K74.2 | ICD-10 | Hepatic fibrosis with hepatic sclerosis |
| K74.4 | ICD-10 | Secondary biliary cirrhosis |
| K74.5 | ICD-10 | Biliary cirrhosis, unspecified |
| K74.60 | ICD-10 | Unspecified cirrhosis of liver |
| K74.69 | ICD-10 | Other cirrhosis of liver |
| Home health [Frailty] | | |
| 99504 | CPT | Home visit for mechanical ventilation care |
| 99509 | CPT | Home visit for assistance with activities of daily living and personal care |
| Durable medical | | |
| E0100 | HCPCS | Cane, includes canes of all materials, adjustable or fixed, with tip |
| E0105 | HCPCS | Cane, quad or three prong, includes canes of all materials, adjustable or fixed, with tips |
| E0130 | HCPCS | Walker, rigid (pickup), adjustable or fixed height |
| E0135 | HCPCS | Walker, folding (pickup), adjustable or fixed height |
| E0140 | HCPCS | Walker, with trunk support, adjustable or fixed height, any type |
| E0141 | HCPCS | Walker, rigid, wheeled, adjustable or fixed height |
| E0143 | HCPCS | Walker, folding, wheeled, adjustable or fixed height |
| E0144 | HCPCS | Walker, enclosed, four sided framed, rigid or folding, wheeled with posterior |
| E0147 | HCPCS | Walker, heavy duty, multiple braking system, variable wheel resistance |
| E0148 | HCPCS | Walker, heavy duty, without wheels, rigid or folding, any type, each |
| E0149 | HCPCS | Walker, heavy duty, wheeled, rigid or folding, any type |
| E0163 | HCPCS | Commode chair, mobile or stationary, with fixed arms |
| E0165 | HCPCS | Commode chair, mobile or stationary, with detachable arms |
| E0167 | HCPCS | Pail or pan for use with commode chair, replacement only |
| E0168 | HCPCS | Commode chair, extra wide and/or heavy duty, stationary or mobile, with or without arms, any type, each |
| E0170 | HCPCS | Commode chair with integrated seat lift mechanism, electric, any type |
| E0171 | HCPCS | Commode chair with integrated seat lift mechanism, non-electric, any type |
| E0250 | HCPCS | Hospital bed, fixed height, with any type side rails, with mattress |
| E0251 | HCPCS | Hospital bed, fixed height, with any type side rails, without mattress |
| E0255 | HCPCS | Hospital bed, variable height, hi-lo, with any type side rails, with mattress |
| E0256 | HCPCS | Hospital bed, variable height, hi-lo, with any type side rails, without mattress |
| E0260 | HCPCS | Hospital bed, semi-electric (head and foot adjustment), with any type side rails, with mattress |
| E0261 | HCPCS | Hospital bed, semi-electric (head and foot adjustment), with any type side rails, without mattress |
| E0265 | HCPCS | Hospital bed, total electric (head, foot and height adjustments), with any type side rails, with mattress |
| E0266 | HCPCS | Hospital bed, total electric (head, foot and height adjustments), with any type side rails, without mattress |
| E0270 | HCPCS | Hospital bed, institutional type includes: oscillating, circulating and stryker frame, with mattress |
| E0290 | HCPCS | Hospital bed, fixed height, without side rails, with mattress |
| E0291 | HCPCS | Hospital bed, fixed height, without side rails, without mattress |
| E0292 | HCPCS | Hospital bed, variable height, hi-lo, without side rails, with mattress |
| E0293 | HCPCS | Hospital bed, variable height, hi-lo, without side rails, without mattress |

| | | |
|-------|-------|---|
| E0294 | HCPCS | Hospital bed, semi-electric (head and foot adjustment), without side rails, with mattress |
| E0295 | HCPCS | Hospital bed, semi-electric (head and foot adjustment), without side rails, without mattress |
| E0296 | HCPCS | Hospital bed, total electric (head, foot and height adjustments), without side rails, with mattress |
| E0297 | HCPCS | Hospital bed, total electric (head, foot and height adjustments), without side rails, without mattress |
| E0301 | HCPCS | Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, |
| E0302 | HCPCS | Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, without mattress |
| E0303 | HCPCS | Hospital bed, heavy duty, extra wide, with weight capacity greater than 350 pounds, but less than or equal to 600 pounds, with any type side rails, with |
| E0304 | HCPCS | Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 pounds, with any type side rails, with mattress |
| E0424 | HCPCS | Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing |
| E0462 | HCPCS | Rocking bed with or without side rails |
| E1130 | HCPCS | Standard wheelchair, fixed full-length arms, fixed or swing-away detachable footrests |
| E1140 | HCPCS | Wheelchair, detachable arms, desk or full-length, swing-away detachable |
| E1150 | HCPCS | Wheelchair, detachable arms, desk or full-length, swing-away detachable elevating leg rest |
| E1160 | HCPCS | Wheelchair, fixed full-length arms, swing-away detachable elevating leg rest |
| E1161 | HCPCS | Manual adult size wheelchair, includes tilt in space |
| E1170 | HCPCS | Amputee wheelchair, fixed full-length arms, swing away detachable elevating leg rests |
| E1171 | HCPCS | Amputee wheelchair, fixed full-length arms, without footrests or leg rest |
| E1172 | HCPCS | Amputee wheelchair, detachable arms (desk or full length) without footrests or largest |
| E1180 | HCPCS | Amputee wheelchair, detachable arms (desk or full length) swing away detachable footrests |
| E1190 | HCPCS | Amputee wheelchair, detachable arms (desk or full length) swing away detachable elevating leg rests |
| E1195 | HCPCS | Heavy duty wheelchair, fixed full-length arms, swing away detachable elevating leg rests |
| E1200 | HCPCS | Amputee wheelchair, fixed full-length arms, swing away detachable footrest |
| E1220 | HCPCS | Wheelchair; specially sized or constructed, (indicate brand name, model number, if any) and justification |
| E1240 | HCPCS | Lightweight wheelchair, detachable arms, (desk or full length) swing away detachable, elevating leg rest |
| E1250 | HCPCS | Lightweight wheelchair, fixed full-length arms, swing away detachable footrest |
| E1260 | HCPCS | Lightweight wheelchair, detachable arms (desk or full length) swing away detachable footrest |
| E1270 | HCPCS | Lightweight wheelchair, fixed full-length arms, swing away detachable elevating leg rests |
| E1280 | HCPCS | Heavy duty wheelchair, detachable arms (desk or full length) elevating leg |
| E1285 | HCPCS | Heavy duty wheelchair, fixed full-length arms, swing away detachable footrest |

| | | |
|------------------------|-------|---|
| E1290 | HCPCS | Heavy duty wheelchair, detachable arms (desk or full length) swing away detachable footrest |
| E1295 | HCPCS | Heavy duty wheelchair, fixed full-length arms, elevating leg rest |
| E1296 | HCPCS | Special wheelchair seat height from floor |
| E1297 | HCPCS | Special wheelchair seat depth, by upholstery |
| E1298 | HCPCS | Special wheelchair seat depth and/or width, by construction |
| Durable medical | | |
| E0424 | HCPCS | Stationary compressed gaseous oxygen system, rental; includes container, contents, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and |
| E0425 | HCPCS | Stationary compressed gas system, purchase; includes regulator, flowmeter, humidifier, nebulizer, cannula or mask, and tubing |
| E0430 | HCPCS | Portable gaseous oxygen system, purchase; includes regulator, flowmeter, humidifier, cannula or mask, and tubing |
| E0431 | HCPCS | Portable gaseous oxygen system, rental; includes portable container, regulator, flow- meter, humidifier, cannula or mask, and tubing |
| E0433 | HCPCS | Portable liquid oxygen system, rental; home liquefier used to fill portable liquid oxygen containers, includes portable containers, regulator, flowmeter, |
| E0434 | HCPCS | Portable liquid oxygen system, rental; includes portable container, supply reservoir, humidifier, flowmeter, refill adaptor, contents gauge, cannula or |
| E0435 | HCPCS | Portable liquid oxygen system, purchase; includes portable container, supply reservoir, flowmeter, humidifier, contents gauge, cannula or mask, tubing |
| E0439 | HCPCS | Stationary liquid oxygen system, rental; includes container, contents, regulator, flow- meter, humidifier, nebulizer, cannula or mask and tubing |
| E0440 | HCPCS | Stationary liquid oxygen system, purchase; includes use of reservoir, contents indica- tor, regulator, flowmeter, humidifier, nebulizer, cannula or mask, and |
| E0441 | HCPCS | Stationary oxygen contents, gaseous, one month's supply = 1 unit |
| E0442 | HCPCS | Stationary oxygen contents, liquid, one month's supply = 1 unit |
| E0443 | HCPCS | Portable oxygen contents, gaseous, one month's supply = 1 unit |
| E0444 | HCPCS | Portable oxygen contents, liquid, one month's supply = 1 unit |
| E0462 | HCPCS | Rocking bed with or without side rails |
| E0465 | HCPCS | Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube) |
| E0466 | HCPCS | Home ventilator, any type, used with non-invasive interface, (e.g., mask, chest shell) |
| E0470 | HCPCS | Respiratory assist device, bi-level pressure capability, without backup rate feature, used with noninvasive interface, e.g., nasal or facial mask |
| E0471 | HCPCS | Respiratory assist device, bi-level pressure capability, with back-up rate feature, used with noninvasive interface, e.g., nasal or facial mask |
| E0472 | HCPCS | Respiratory assist device, bi-level pressure capability, with backup rate feature, used with invasive interface, e.g., tracheostomy tube (intermittent assist device with contin- uous positive airway pressure device) |
| Skilled nursing | | |
| G0162 | HCPCS | Skilled services by a registered nurse (RN) for management and evaluation of the plan of care; each 15 minutes (the patient's underlying condition or complication requires an RN to ensure that essential non-skilled care achieves its purpose in the home health or hospice setting) |
| G0299 | HCPCS | Direct skilled nursing services of a registered nurse (RN) in the home health or hospice setti ng, each 15 minutes |
| G0300 | HCPCS | Direct skilled nursing services of a licensed practical nurse (LPN) in the home health or hospice setti ng, each 15 minutes |

| | | |
|------------------------|--------|---|
| G0493 | HCPCS | Skilled services of a registered nurse (RN) for the observation and assessment of the patient's condition, each 15 minutes (the change in the patient's condition requires skilled nursing personnel to identify and evaluate the patient's need for possible modification of treatment in the home health or hospice setting) |
| G0494 | HCPCS | Skilled services of a licensed practical nurse (LPN) for the observation and assessment of the patient's condition, each 15 minutes (the change in the patient's condition requires skilled nursing personnel to identify and evaluate the patient's need for possible modification of treatment in the home health or hospice setting) |
| S0271 | HCPCS | Physician management of patient home care, hospice monthly case rate (per 30 days) |
| S0311 | HCPCS | Comprehensive management and care coordination for advanced illness, per calendar month |
| S9123 | HCPCS | Nursing care, in the home; by registered nurse, per hour (use for general nursing care only, not to be used when CPT codes 99500 - 99602 can be used) |
| S9124 | HCPCS | Nursing care, in the home; by licensed practical nurse, per hour |
| T1000 | HCPCS | Private duty/independent nursing service(s) - licensed, up to 15 minutes |
| T1001 | HCPCS | Nursing assessment/evaluation |
| T1002 | HCPCS | RN services, up to 15 minutes |
| T1003 | HCPCS | LPN/LVN services, up to 15 minutes |
| T1004 | HCPCS | Services of a qualified nursing aide, up to 15 minutes |
| T1005 | HCPCS | Respite care services, up to 15 minutes |
| T1019 | HCPCS | Personal care services, per 15 minutes, not for an inpatient or resident of a hospital, nursing facility, ICF/MR or IMD, part of the individualized plan of treatment (code may not be used to identify services provided by home health aide or certified nurse assistant) |
| T1020 | HCPCS | Personal care services, per diem, not for an inpatient or resident of a hospital, nursing facility, ICF/MR or IMD, part of the individualized plan of treatment (code may not be used to identify services provided by home health aide or certified nurse assistant) |
| T1021 | HCPCS | Home health aide or certified nurse assistant, per visit |
| T1022 | HCPCS | Contracted home health agency services, all services provided under contract, per day |
| T1030 | HCPCS | Nursing care, in the home, by registered nurse, per diem |
| T1031 | HCPCS | Nursing care, in the home, by licensed practical nurse, per diem |
| Pressure ulcer, | | |
| L89.119 | ICD-10 | Pressure ulcer of right upper back, unspecified stage |
| L89.000 | ICD-10 | Pressure ulcer of unspecified elbow, unstageable |
| L89.001 | ICD-10 | Pressure ulcer of unspecified elbow, stage 1 |
| L89.002 | ICD-10 | Pressure ulcer of unspecified elbow, stage 2 |
| L89.003 | ICD-10 | Pressure ulcer of unspecified elbow, stage 3 |
| L89.004 | ICD-10 | Pressure ulcer of unspecified elbow, stage 4 |
| L89.006 | ICD-10 | Pressure-induced deep tissue damage of unspecified elbow |
| L89.009 | ICD-10 | Pressure ulcer of unspecified elbow, unspecified stage |
| L89.010 | ICD-10 | Pressure ulcer of right elbow, unstageable |
| L89.011 | ICD-10 | Pressure ulcer of right elbow, stage 1 |
| L89.012 | ICD-10 | Pressure ulcer of right elbow, stage 2 |
| L89.013 | ICD-10 | Pressure ulcer of right elbow, stage 3 |
| L89.014 | ICD-10 | Pressure ulcer of right elbow, stage 4 |
| L89.016 | ICD-10 | Pressure-induced deep tissue damage of right elbow |
| L89.019 | ICD-10 | Pressure ulcer of right elbow, unspecified stage |
| L89.020 | ICD-10 | Pressure ulcer of left elbow, unstageable |

| | | |
|---------|--------|---|
| L89.021 | ICD-10 | Pressure ulcer of left elbow, stage 1 |
| L89.022 | ICD-10 | Pressure ulcer of left elbow, stage 2 |
| L89.023 | ICD-10 | Pressure ulcer of left elbow, stage 3 |
| L89.024 | ICD-10 | Pressure ulcer of left elbow, stage 4 |
| L89.026 | ICD-10 | Pressure-induced deep tissue damage of left elbow |
| L89.029 | ICD-10 | Pressure ulcer of left elbow, unspecified stage |
| L89.100 | ICD-10 | Pressure ulcer of unspecified part of back, unstageable |
| L89.101 | ICD-10 | Pressure ulcer of unspecified part of back, stage 1 |
| L89.102 | ICD-10 | Pressure ulcer of unspecified part of back, stage 2 |
| L89.103 | ICD-10 | Pressure ulcer of unspecified part of back, stage 3 |
| L89.104 | ICD-10 | Pressure ulcer of unspecified part of back, stage 4 |
| L89.106 | ICD-10 | Pressure-induced deep tissue damage of unspecified part of back |
| L89.109 | ICD-10 | Pressure ulcer of unspecified part of back, unspecified stage |
| L89.110 | ICD-10 | Pressure ulcer of right upper back, unstageable |
| L89.111 | ICD-10 | Pressure ulcer of right upper back, stage 1 |
| L89.112 | ICD-10 | Pressure ulcer of right upper back, stage 2 |
| L89.113 | ICD-10 | Pressure ulcer of right upper back, stage 3 |
| L89.114 | ICD-10 | Pressure ulcer of right upper back, stage 4 |
| L89.116 | ICD-10 | Pressure-induced deep tissue damage of right upper back |
| L89.119 | ICD-10 | Pressure ulcer of right upper back, unspecified stage |
| L89.120 | ICD-10 | Pressure ulcer of left upper back, unstageable |
| L89.121 | ICD-10 | Pressure ulcer of left upper back, stage 1 |
| L89.122 | ICD-10 | Pressure ulcer of left upper back, stage 2 |
| L89.123 | ICD-10 | Pressure ulcer of left upper back, stage 3 |
| L89.124 | ICD-10 | Pressure ulcer of left upper back, stage 4 |
| L89.126 | ICD-10 | Pressure-induced deep tissue damage of left upper back |
| L89.129 | ICD-10 | Pressure ulcer of left upper back, unspecified stage |
| L89.130 | ICD-10 | Pressure ulcer of right lower back, unstageable |
| L89.131 | ICD-10 | Pressure ulcer of right lower back, stage 1 |
| L89.132 | ICD-10 | Pressure ulcer of right lower back, stage 2 |
| L89.133 | ICD-10 | Pressure ulcer of right lower back, stage 3 |
| L89.134 | ICD-10 | Pressure ulcer of right lower back, stage 4 |
| L89.136 | ICD-10 | Pressure-induced deep tissue damage of right lower back |
| L89.139 | ICD-10 | Pressure ulcer of right lower back, unspecified stage |
| L89.140 | ICD-10 | Pressure ulcer of left lower back, unstageable |
| L89.141 | ICD-10 | Pressure ulcer of left lower back, stage 1 |
| L89.142 | ICD-10 | Pressure ulcer of left lower back, stage 2 |
| L89.143 | ICD-10 | Pressure ulcer of left lower back, stage 3 |
| L89.144 | ICD-10 | Pressure ulcer of left lower back, stage 4 |
| L89.146 | ICD-10 | Pressure-induced deep tissue damage of left lower back |
| L89.149 | ICD-10 | Pressure ulcer of left lower back, unspecified stage |
| L89.150 | ICD-10 | Pressure ulcer of sacral region, unstageable |
| L89.151 | ICD-10 | Pressure ulcer of sacral region, stage 1 |
| L89.152 | ICD-10 | Pressure ulcer of sacral region, stage 2 |
| L89.153 | ICD-10 | Pressure ulcer of sacral region, stage 3 |
| L89.154 | ICD-10 | Pressure ulcer of sacral region, stage 4 |
| L89.156 | ICD-10 | Pressure-induced deep tissue damage of sacral region |
| L89.159 | ICD-10 | Pressure ulcer of sacral region, unspecified stage |
| L89.200 | ICD-10 | Pressure ulcer of unspecified hip, unstageable |
| L89.201 | ICD-10 | Pressure ulcer of unspecified hip, stage 1 |
| L89.202 | ICD-10 | Pressure ulcer of unspecified hip, stage 2 |
| L89.203 | ICD-10 | Pressure ulcer of unspecified hip, stage 3 |

| | | |
|---------|--------|---|
| L89.204 | ICD-10 | Pressure ulcer of unspecified hip, stage 4 |
| L89.206 | ICD-10 | Pressure-induced deep tissue damage of unspecified hip |
| L89.209 | ICD-10 | Pressure ulcer of unspecified hip, unspecified stage |
| L89.210 | ICD-10 | Pressure ulcer of right hip, unstageable |
| L89.211 | ICD-10 | Pressure ulcer of right hip, stage 1 |
| L89.212 | ICD-10 | Pressure ulcer of right hip, stage 2 |
| L89.213 | ICD-10 | Pressure ulcer of right hip, stage 3 |
| L89.214 | ICD-10 | Pressure ulcer of right hip, stage 4 |
| L89.216 | ICD-10 | Pressure-induced deep tissue damage of right hip |
| L89.219 | ICD-10 | Pressure ulcer of right hip, unspecified stage |
| L89.220 | ICD-10 | Pressure ulcer of left hip, unstageable |
| L89.221 | ICD-10 | Pressure ulcer of left hip, stage 1 |
| L89.222 | ICD-10 | Pressure ulcer of left hip, stage 2 |
| L89.223 | ICD-10 | Pressure ulcer of left hip, stage 3 |
| L89.224 | ICD-10 | Pressure ulcer of left hip, stage 4 |
| L89.226 | ICD-10 | Pressure-induced deep tissue damage of left hip |
| L89.229 | ICD-10 | Pressure ulcer of left hip, unspecified stage |
| L89.300 | ICD-10 | Pressure ulcer of unspecified buttock, unstageable |
| L89.301 | ICD-10 | Pressure ulcer of unspecified buttock, stage 1 |
| L89.302 | ICD-10 | Pressure ulcer of unspecified buttock, stage 2 |
| L89.303 | ICD-10 | Pressure ulcer of unspecified buttock, stage 3 |
| L89.304 | ICD-10 | Pressure ulcer of unspecified buttock, stage 4 |
| L89.306 | ICD-10 | Pressure-induced deep tissue damage of unspecified buttock |
| L89.309 | ICD-10 | Pressure ulcer of unspecified buttock, unspecified stage |
| L89.310 | ICD-10 | Pressure ulcer of right buttock, unstageable |
| L89.311 | ICD-10 | Pressure ulcer of right buttock, stage 1 |
| L89.312 | ICD-10 | Pressure ulcer of right buttock, stage 2 |
| L89.313 | ICD-10 | Pressure ulcer of right buttock, stage 3 |
| L89.314 | ICD-10 | Pressure ulcer of right buttock, stage 4 |
| L89.316 | ICD-10 | Pressure-induced deep tissue damage of right buttock |
| L89.319 | ICD-10 | Pressure ulcer of right buttock, unspecified stage |
| L89.320 | ICD-10 | Pressure ulcer of left buttock, unstageable |
| L89.321 | ICD-10 | Pressure ulcer of left buttock, stage 1 |
| L89.322 | ICD-10 | Pressure ulcer of left buttock, stage 2 |
| L89.323 | ICD-10 | Pressure ulcer of left buttock, stage 3 |
| L89.324 | ICD-10 | Pressure ulcer of left buttock, stage 4 |
| L89.326 | ICD-10 | Pressure-induced deep tissue damage of left buttock |
| L89.329 | ICD-10 | Pressure ulcer of left buttock, unspecified stage |
| L89.40 | ICD-10 | Pressure ulcer of contiguous site of back, buttock and hip, unspecified stage |
| L89.41 | ICD-10 | Pressure ulcer of contiguous site of back, buttock and hip, stage 1 |
| L89.42 | ICD-10 | Pressure ulcer of contiguous site of back, buttock and hip, stage 2 |
| L89.43 | ICD-10 | Pressure ulcer of contiguous site of back, buttock and hip, stage 3 |
| L89.44 | ICD-10 | Pressure ulcer of contiguous site of back, buttock and hip, stage 4 |
| L89.45 | ICD-10 | Pressure ulcer of contiguous site of back, buttock and hip, unstageable |
| L89.46 | ICD-10 | Pressure-induced deep tissue damage of contiguous site of back, buttock and |
| L89.500 | ICD-10 | Pressure ulcer of unspecified ankle, unstageable |
| L89.501 | ICD-10 | Pressure ulcer of unspecified ankle, stage 1 |
| L89.502 | ICD-10 | Pressure ulcer of unspecified ankle, stage 2 |
| L89.503 | ICD-10 | Pressure ulcer of unspecified ankle, stage 3 |
| L89.504 | ICD-10 | Pressure ulcer of unspecified ankle, stage 4 |
| L89.506 | ICD-10 | Pressure-induced deep tissue damage of unspecified ankle |
| L89.509 | ICD-10 | Pressure ulcer of unspecified ankle, unspecified stage |
| L89.510 | ICD-10 | Pressure ulcer of right ankle, unstageable |

| | | |
|---------|--------|---|
| L89.511 | ICD-10 | Pressure ulcer of right ankle, stage 1 |
| L89.512 | ICD-10 | Pressure ulcer of right ankle, stage 2 |
| L89.513 | ICD-10 | Pressure ulcer of right ankle, stage 3 |
| L89.514 | ICD-10 | Pressure ulcer of right ankle, stage 4 |
| L89.516 | ICD-10 | Pressure-induced deep tissue damage of right ankle |
| L89.519 | ICD-10 | Pressure ulcer of right ankle, unspecified stage |
| L89.520 | ICD-10 | Pressure ulcer of left ankle, unstageable |
| L89.521 | ICD-10 | Pressure ulcer of left ankle, stage 1 |
| L89.522 | ICD-10 | Pressure ulcer of left ankle, stage 2 |
| L89.523 | ICD-10 | Pressure ulcer of left ankle, stage 3 |
| L89.524 | ICD-10 | Pressure ulcer of left ankle, stage 4 |
| L89.526 | ICD-10 | Pressure-induced deep tissue damage of left ankle |
| L89.529 | ICD-10 | Pressure ulcer of left ankle, unspecified stage |
| L89.600 | ICD-10 | Pressure ulcer of unspecified heel, unstageable |
| L89.601 | ICD-10 | Pressure ulcer of unspecified heel, stage 1 |
| L89.602 | ICD-10 | Pressure ulcer of unspecified heel, stage 2 |
| L89.603 | ICD-10 | Pressure ulcer of unspecified heel, stage 3 |
| L89.604 | ICD-10 | Pressure ulcer of unspecified heel, stage 4 |
| L89.606 | ICD-10 | Pressure-induced deep tissue damage of unspecified heel |
| L89.609 | ICD-10 | Pressure ulcer of unspecified heel, unspecified stage |
| L89.610 | ICD-10 | Pressure ulcer of right heel, unstageable |
| L89.611 | ICD-10 | Pressure ulcer of right heel, stage 1 |
| L89.612 | ICD-10 | Pressure ulcer of right heel, stage 2 |
| L89.613 | ICD-10 | Pressure ulcer of right heel, stage 3 |
| L89.614 | ICD-10 | Pressure ulcer of right heel, stage 4 |
| L89.616 | ICD-10 | Pressure-induced deep tissue damage of right heel |
| L89.619 | ICD-10 | Pressure ulcer of right heel, unspecified stage |
| L89.620 | ICD-10 | Pressure ulcer of left heel, unstageable |
| L89.621 | ICD-10 | Pressure ulcer of left heel, stage 1 |
| L89.622 | ICD-10 | Pressure ulcer of left heel, stage 2 |
| L89.623 | ICD-10 | Pressure ulcer of left heel, stage 3 |
| L89.624 | ICD-10 | Pressure ulcer of left heel, stage 4 |
| L89.626 | ICD-10 | Pressure-induced deep tissue damage of left heel |
| L89.629 | ICD-10 | Pressure ulcer of left heel, unspecified stage |
| L89.810 | ICD-10 | Pressure ulcer of head, unstageable |
| L89.811 | ICD-10 | Pressure ulcer of head, stage 1 |
| L89.812 | ICD-10 | Pressure ulcer of head, stage 2 |
| L89.813 | ICD-10 | Pressure ulcer of head, stage 3 |
| L89.814 | ICD-10 | Pressure ulcer of head, stage 4 |
| L89.816 | ICD-10 | Pressure-induced deep tissue damage of head |
| L89.819 | ICD-10 | Pressure ulcer of head, unspecified stage |
| L89.890 | ICD-10 | Pressure ulcer of other site, unstageable |
| L89.891 | ICD-10 | Pressure ulcer of other site, stage 1 |
| L89.892 | ICD-10 | Pressure ulcer of other site, stage 2 |
| L89.893 | ICD-10 | Pressure ulcer of other site, stage 3 |
| L89.894 | ICD-10 | Pressure ulcer of other site, stage 4 |
| L89.896 | ICD-10 | Pressure-induced deep tissue damage of other site |
| L89.899 | ICD-10 | Pressure ulcer of other site, unspecified stage |
| L89.90 | ICD-10 | Pressure ulcer of unspecified site, unspecified stage |
| L89.91 | ICD-10 | Pressure ulcer of unspecified site, stage 1 |
| L89.92 | ICD-10 | Pressure ulcer of unspecified site, stage 2 |
| L89.93 | ICD-10 | Pressure ulcer of unspecified site, stage 3 |

| | | |
|--------------------------|--------|---|
| L89.94 | ICD-10 | Pressure ulcer of unspecified site, stage 4 |
| L89.95 | ICD-10 | Pressure ulcer of unspecified site, unstageable |
| L89.96 | ICD-10 | Pressure-induced deep tissue damage of unspecified site |
| M62.50 | ICD-10 | Muscle wasting and atrophy, not elsewhere classified, unspecified site |
| M62.81 | ICD-10 | Muscle weakness (generalized) |
| M62.84 | ICD-10 | Sarcopenia |
| R26.2 | ICD-10 | Difficulty in walking, not elsewhere classified |
| R29.6 | ICD-10 | Repeated falls |
| R26.89 | ICD-10 | Other abnormalities of gait and mobility |
| R26.9 | ICD-10 | Unspecified abnormalities of gait and mobility |
| R54 | ICD-10 | Age-related physical debility |
| R63.4 | ICD-10 | Abnormal weight loss |
| R63.6 | ICD-10 | Underweight |
| R64 | ICD-10 | Cachexia |
| Weakness, fatigue | | |
| R53.1 | ICD-10 | Weakness |
| R53.81 | ICD-10 | Other malaise |
| R53.83 | ICD-10 | Other fatigue |
| R41.81 | ICD-10 | Age-related cognitive decline |
| R62.7 | ICD-10 | Adult failure to thrive |
| Falls [Frailty] | | |
| W01.0XXA | ICD-10 | Fall on same level from slipping, tripping and stumbling without subsequent striking against object, initial encounter |
| W01.0XXD | ICD-10 | Fall on same level from slipping, tripping and stumbling without subsequent striking against object, subsequent encounter |
| W01.0XXS | ICD-10 | Fall on same level from slipping, tripping and stumbling without subsequent striking against object, sequela |
| W01.10XA | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, initial encounter |
| W01.10XD | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, subsequent encounter |
| W01.10XS | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified object, sequela |
| W01.110A | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, initial encounter |
| W01.110D | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, subsequent encounter |
| W01.110S | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against sharp glass, sequela |
| W01.111A | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, initial encounter |
| W01.111D | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, subsequent encounter |
| W01.111S | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against power tool or machine, sequela |
| W01.118A | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, initial encounter |
| W01.118D | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, subsequent encounter |
| W01.118S | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against other sharp object, sequela |
| W01.119A | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, initial encounter |

| | | |
|------------------------------------|--------|--|
| W01.119D | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, subsequent encounter |
| W01.119S | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against unspecified sharp object, sequela |
| W01.190A | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, initial encounter |
| W01.190D | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, subsequent encounter |
| W01.190S | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against furniture, sequela |
| W01.198A | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, initial encounter |
| W01.198D | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, subsequent encounter |
| W01.198S | ICD-10 | Fall on same level from slipping, tripping and stumbling with subsequent striking against other object, sequela |
| Falls (Continued) [Frailty] | | |
| W06.XXXA | ICD-10 | Fall from bed, initial encounter |
| W06.XXXD | ICD-10 | Fall from bed, subsequent encounter |
| W06.XXXS | ICD-10 | Fall from bed, sequela |
| W07.XXXA | ICD-10 | Fall from chair, initial encounter |
| W07.XXXD | ICD-10 | Fall from chair, subsequent encounter |
| W07.XXXS | ICD-10 | Fall from chair, sequela |
| W08.XXXA | ICD-10 | Fall from other furniture, initial encounter |
| W08.XXXD | ICD-10 | Fall from other furniture, subsequent encounter |
| W08.XXXS | ICD-10 | Fall from other furniture, sequela |
| W10.0XXA | ICD-10 | Fall (on) (from) escalator, initial encounter |
| W10.0XXD | ICD-10 | Fall (on) (from) escalator, subsequent encounter |
| W10.0XXS | ICD-10 | Fall (on) (from) escalator, sequela |
| W10.1XXA | ICD-10 | Fall (on) (from) sidewalk curb, initial encounter |
| W10.1XXD | ICD-10 | Fall (on) (from) sidewalk curb, subsequent encounter |
| W10.1XXS | ICD-10 | Fall (on) (from) sidewalk curb, sequela |
| W10.2XXA | ICD-10 | Fall (on) (from) incline, initial encounter |
| W10.2XXD | ICD-10 | Fall (on) (from) incline, subsequent encounter |
| W10.2XXS | ICD-10 | Fall (on) (from) incline, sequela |
| W10.8XXA | ICD-10 | Fall (on) (from) other stairs and steps, initial encounter |
| W10.8XXD | ICD-10 | Fall (on) (from) other stairs and steps, subsequent encounter |
| W10.8XXS | ICD-10 | Fall (on) (from) other stairs and steps, sequela |
| W10.9XXA | ICD-10 | Fall (on) (from) unspecified stairs and steps, initial encounter |
| W10.9XXD | ICD-10 | Fall (on) (from) unspecified stairs and steps, subsequent encounter |
| W10.9XXS | ICD-10 | Fall (on) (from) unspecified stairs and steps, sequela |
| W18.00XA | ICD-10 | Striking against unspecified object with subsequent fall, initial encounter |
| W18.00XD | ICD-10 | Striking against unspecified object with subsequent fall, subsequent |
| W18.00XS | ICD-10 | Striking against unspecified object with subsequent fall, sequela |
| W18.02XA | ICD-10 | Striking against glass with subsequent fall, initial encounter |
| W18.02XD | ICD-10 | Striking against glass with subsequent fall, subsequent encounter |
| W18.02XS | ICD-10 | Striking against glass with subsequent fall, sequela |
| W18.09XA | ICD-10 | Striking against other object with subsequent fall, initial encounter |
| W18.09XD | ICD-10 | Striking against other object with subsequent fall, subsequent encounter |
| W18.09XS | ICD-10 | Striking against other object with subsequent fall, sequela |
| W18.09XA | ICD-10 | Striking against other object with subsequent fall, initial encounter |
| W18.09XD | ICD-10 | Striking against other object with subsequent fall, subsequent encounter |

| | | |
|----------|--------|--|
| W18.09XS | ICD-10 | Striking against other object with subsequent fall, sequela |
| W18.11XA | ICD-10 | Fall from or off toilet without subsequent striking against object, initial |
| W18.11XD | ICD-10 | Fall from or off toilet without subsequent striking against object, subsequent |
| W18.11XS | ICD-10 | Fall from or off toilet without subsequent striking against object, sequela |
| W18.12XA | ICD-10 | Fall from or off toilet with subsequent striking against object, initial encounter |
| W18.12XD | ICD-10 | Fall from or off toilet with subsequent striking against object, subsequent |
| W18.12XS | ICD-10 | Fall from or off toilet with subsequent striking against object, sequela |
| W18.2XXA | ICD-10 | Fall in (into) shower or empty bathtub, initial encounter |
| W18.2XXD | ICD-10 | Fall in (into) shower or empty bathtub, subsequent encounter |
| W18.2XXS | ICD-10 | Fall in (into) shower or empty bathtub, sequela |
| W18.30XA | ICD-10 | Fall on same level, unspecified, initial encounter |
| W18.30XD | ICD-10 | Fall on same level, unspecified, subsequent encounter |
| W18.30XS | ICD-10 | Fall on same level, unspecified, sequela |
| W18.31XA | ICD-10 | Fall on same level due to stepping on an object, initial encounter |
| W18.31XD | ICD-10 | Fall on same level due to stepping on an object, subsequent encounter |
| W18.31XS | ICD-10 | Fall on same level due to stepping on an object, sequela |
| W18.39XA | ICD-10 | Other fall on same level, initial encounter |
| W18.39XD | ICD-10 | Other fall on same level, subsequent encounter |
| W18.39XS | ICD-10 | Other fall on same level, sequela |
| W19.XXXA | ICD-10 | Unspecified fall, initial encounter |
| W19.XXXD | ICD-10 | Unspecified fall, subsequent encounter |
| W19.XXXS | ICD-10 | Unspecified fall, sequela |
| Z74.01 | ICD-10 | Bed confinement status |
| Z74.09 | ICD-10 | Other reduced mobility |
| Z74.1 | ICD-10 | Need for assistance with personal care |
| Z74.2 | ICD-10 | Need for assistance at home and no other household member able to render care |
| Z74.3 | ICD-10 | Need for continuous supervision |
| Z74.8 | ICD-10 | Other problems related to care provider dependency |
| Z74.9 | ICD-10 | Problem related to care provider dependency, unspecified |
| Z99.11 | ICD-10 | Dependence on respirator status |
| Z99.3 | ICD-10 | Dependence on wheelchair |
| Z99.81 | ICD-10 | Dependence on supplemental oxygen |
| Z99.89 | ICD-10 | Dependence on other enabling machines and devices |
| Z91.81 | ICD-10 | History of falling |

The advanced illness value set and frailty value set are developed and owned by the National Committee for Quality Assurance (“NCQA”). Please note the codes listed in the table above pertain to either the advanced illness value set or the frailty value set. The headers in the table identify the applicable value set.



Contact us with questions at Stars_Support@uhcsouthflorida.com
or speak to your Health Plan Representative.